



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

#22

Food and Drug Administration
Rockville MD 20857

Re: Orcolon
Docket No. 91E-0226

Charles E. Van Horn
Patent Policy and Projects Administrator
Office of the Assistant Commissioner for Patents
U.S. Patent and Trademark Office
Crystal Park Building 2, Suite 919
Washington, DC 20231

Dear Mr. Van Horn:

This is in regard to the patent term extension application for U.S. Patent No. Re. 32,969, filed by Trager et. al. under 35 U.S.C. 156. The patent claims the device product Orcolon, PMA P900010.

RECEIVED
FEB 26 PM 4:30

In the August 12, 1991, issue of the Federal Register, the Food and Drug Administration published its determination of this product's regulatory review period, as required under 35 U.S.C. 156(d)(2)(A). The notice provided that on or before February 8, 1992, 180 days after the publication of the determination, any interested person could file a petition with FDA under 35 U.S.C. 156(d)(2)(B)(i) for a determination of whether the patent term extension applicant acted with due diligence during the regulatory review period.

The 180-day period for filing a due diligence petition pursuant to this notice has expired and FDA has received no such petition. FDA, therefore, considers the regulatory review period determination to be final.

Please let me know if we can provide further assistance.

Sincerely yours,

Ronald L. Wilson
Director
Health Assessment Policy Staff
Office of Health Affairs

cc: Franklin D. Wolffe
Fidelman & Wolffe
P.O. Box 18218
Washington, DC 20036-8218